

NEW  
POSITIONING ON THE DIAGONAL MAST  
OPTIMAL DISTRIBUTION OF SPACE

- Easy exchangeable parts attached by screws
- Crank for opening/closing umbrella above table height
- Maintenance-free gears and lifting spindle
- Internal cable ducts
- Windproof up to speeds of 25 mph, provided proper anchoring exists

#### Sizes

3x3m / 3x4m / 4x4m / 4 x 5 m / 5x5m



## CANTILEVER UMBRELLA

The cantilever umbrella is the perfect option for areas with passages or with an optimized seating layout. Thanks to an oval profile, the rotary cantilever mast provides maximum stability and space for house cables leading to the ground.

Possible accessories:  
LED lighting & cooling (on request)





# CANTILEVER UMBRELLA TYPE SA



TYPE SA  
CANTILEVER  
UMBRELLA  
SEITENARM-  
SCHIRM

## FRAME

Rectangular umbrella struts made of aluminum, 40x20x2 mm - 50x20x3 mm, oval aluminum mast measuring 140x100 mm in diameter, 70x3 mm aluminum telescope, top plate and crown plate made with aluminum U profiles for housing struts, screwed together parts, powder-coated frame (polyester powder ca. 80 µ), movable parts made of steel.

- White RAL 9010
- other RAL colors on request

## MECHANICS

Maintenance-free mast gears with spindle, triple telescope for opening/closing umbrella, hand crank for opening/closing canvas

## COVER

MDT-tex® 260 FR

(100% polyester dual-sided acrylate coating).

Weight ca. 260 g/m<sup>2</sup>, water column pressure over 700 mm, flame retardant according to California T19. CERF Categoria 1, DIN 4102: B1

MDT-tex® 300

(100% acrylic fabric).

Weight ca. 300 g/m<sup>2</sup>, water column pressure over 350 mm

Preconstraint fabric

(100% polyester fabric, both sides with high gloss finish)

PVC coating, mass ca. 480 g/m<sup>2</sup>



Squar



Poolprofile



Top



Struts



Crank



LED Lighting

## ANCHORINGS




Ground tube



Protection sleeve






## ACCESSORIES





**DIMENSIONS ARE IN METERS**

\*all measurements are rounded

	 3 x 3	 3 x 4	 4 x 4	 4 x 5	 5 x 5
<b>MASS</b>					
Umbrella with packaging (kg)	70,5	73,5	96,5	110,5	136,5
Umbrella without packaging (kg)	60,5	63,5	86,5	105,5	126,5
Frame (kg)	58	60	86	100	120
Cover (kg)	2,5	3,5	4,5	5,5	6,5

**CLOSED UMBRELLA**

	3 x 3	3 x 4	4 x 4	4 x 5	5 x 5
<b>A</b> Closed height (cm)	380	410	433	454	491
<b>B</b> Distance from volances to ground (cm)	143	125	120	104	106
<b>C</b> Distance from spokes to ground (cm)	164	158	150	134	136

**OPEN UMBRELLA**

	3 x 3	3 x 4	4 x 4	4 x 5	5 x 5
<b>D</b> Opened height (cm)	293	320	319	335	345
<b>E</b> Distance from volances to ground (cm)	237	262	245	263	262
<b>F</b> Distance from plate to ground (cm)	218	249	235	251	243


**PACKAGING DIMENSIONS**

	3 x 3	3 x 4	4 x 4	4 x 5	5 x 5
Total length (cm)	380	410	433	454	491
Dimensions of carboard packaging (cm)	45x45x360	45x45x360	45x45x360	45x45x360	45x45x360
Length of mast extruding from box (cm)	20	50	73	94	131

**ACCESSORIES**

Adapter Article No.	Type SA 10760-D	Type SA 10760-D	Type SA 10760-D	Type SA 10760-D	Type SA 10760-D
Inground tube Article No.	Type SA 07258	Type SA 07258	Type SA 07258	Type SA 07258	Type SA 07258
Protection sleeve size Article No.	M 06447	M 06448	M 06448	L 06449	L 06449

all dimensions + weights given are approximate




Easy opening and closing with hand crank

**MATERIALS, PAINTS**

MDT-tex®-FR 260 POLYESTER

For all dimensions.  
For all types of umbrellas.




- 01: M 00-FR white
- 02: M 61-FR silber
- 03: M 21-FR beige
- 04: M 11-FR yellow
- 05: M 31-FR red
- 06: M 35-FR bordeaux
- 07: M 41-FR green
- 08: M 42-FR dark green
- 09: M 52-FR navy blue
- 10: M 81-FR anthracite
- 11: M 91-FR black

OPTIONAL

MDT-tex® 300 ACRYL

For all dimensions.  
For all types of umbrellas.



- 01: M 00-A white
- 02: M 21-A beige
- 03: M 22-A dark beige
- 04: M 11-A gelb/yellow
- 05: M 31-A red
- 06: M 35-A bordeaux
- 07: M 42-A dark green
- 08: M 52-A navy blue
- 09: M 81-A anthracite
- 10: M 91-A black

PVC 480 Polyester

For all dimensions.  
For all types of umbrellas.

- 01: M 00-P white beige



Special colours on request.